



AUBURN® STANDARD DATA SHEET

PERFORMANCE TESTING

TEST DESCRIPTION	METHOD	RESULTS & COMMENTS
U-Factor	Simulated based on ASTM standards	.765
CRF	Simulated based on ASTM standards	31
CR	Simulated based on NFRC 500 standards	22
Air Infiltration	ASTM E-283 AAMA/WDMA 1600 I.S. 7	< 0.05 cfm/ft ² @ 6.24 psf SSKG-HC40 (< 0.10 cfm/ft ² @ 6.24 psf)
Water Penetration	ASTM E-331 AAMA/WDMA 1600 I.S. 7 AAMA 501.2	No Water Penetration @ 12psf SKG-HC40 (No Water Penetration @ 6psf) No Water Penetration
Structural Performance	ASTM E-330 AAMA/WDMA 1600 I.S. 7	Permanent set less than 0.1% of max span @ ±60psf Permanent set less than 0.4% of max span @ ±60psf

GENERAL INFORMATION

DESCRIPTION	COMMENTS
Framing Material	Extruded Aluminum: ASTM B-221, Alloy 6063-T6, 6061-T5, or equivalent Material alloy, temper and thickness shall be as required for loading, deflection, cross-sectional configuration and finish
Glazing Strips	Material - EPDM rubber (ASTM C-864 and C-1115) Hardness - 70 Durometer Color – Black
Flashing	Material - Alloy 5005-H34 or equivalent Minimum Thickness - 0.040 inch
Setting Blocks	Material - EPDM rubber Hardness - Type A 80 Durometer Color - Black
Condensation Control System	Skylight system provided with an integrated gutter system on all framing members, including rafters Built-in condensation system allows for minimal dependency on sealants
Glazing Caps	Material - Aluminum 6063-T6
Fasteners	Material - Aluminum (ASTM B-211/Alloy 2024-T4) / Stainless Steel (ASTM A-193, Series B8 300) / Aluminum Rivets (ASTM B-316) / Material for Exterior Cap Retainers - Stainless steel screws (ASTM A-193, Series B8 300)
Sealants	Nonstructural Flush Glazed Joints and Weather Seal Joints: Silicone sealants Apply in accordance with sealant manufacturer's instructions
Glass	Performance will vary with glazing composition. <i>(**Performance testing listed above completed using 1" Solarban® 60 glazing)</i>
Finishes	Anodized Coating: Architectural Class I clear anodized (Type AA-M10C22A41) Pigmented Organic Coating (AAMA 2604)

NOTE: All information is based on testing as reported by independent test agencies. Major Industries, Inc. strives to create the most advanced product in the daylighting industry. As a result, products, materials and test results are subject to change without notice. Values may also vary with custom system configurations. Please contact Major Industries, Inc. with any questions.

MAJOR INDUSTRIES, 7120 STEWART AVE, WAUSAU, WI. 54401 / 888-759-2678 / MAJORSKYLIGHTS.COM / SALES@MAJORSKYLIGHTS.COM